

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(US-5991880-\$ or US-5838901-\$ or US-5784577-\$).did	USPAT	OR	OFF	2004/12/16 10:38
S27	1974	(revision\$1 or version\$1) with (pld\$1 or pd\$1 or pga\$1 or fpga\$1 or fpld\$1 or epld\$1 or (programmable adj4 (device\$1 or array\$1)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:11
S28	1195	(revision\$1 or version\$1) near6 (pld\$1 or pd\$1 or pga\$1 or fpga\$1 or fpld\$1 or epld\$1 or (programmable adj4 (device\$1 or array\$1)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 13:35
S29	148	S28 with (identif\$10 or stor\$5 or sav\$5 or track\$5)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:16
S30	107	S29 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @ptld<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 13:41

S31	16533	(programmable adj4 (device\$1 or array\$1)).ab. or (programmable adj4 (device\$1 or array\$1)).clm.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:00
S32	19	S30 and S31	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 11:28
S33	1195	(revision\$1 or version\$1) near6 (pld\$1 or pd\$1 or pga\$1 or fpga\$1 or fpld\$1 or epld\$1 or (programmable adj4 (device\$1 or array\$1)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:14
S34	329	S33 with (config\$7 or program\$7)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:59
S35	37718	(automatic\$5 or updat\$5 or stor\$5 or sav\$5 or track\$5 or record\$5 or table\$1) near6(revision\$1 or version\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:39

S36	37718	(automatic\$5 or updat\$5 or stor\$5 or sav\$5 or track\$5 or record\$5 or table\$1) near6 (revision\$1 or version\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:44
S37	1974	(revision\$1 or version\$1) with (pld\$1 or pd\$1 or pga\$1 or fpga\$1 or fpld\$1 or epld\$1 or (programmable adj4 (device\$1 or array\$1)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:40
S38	543	S37 with (config\$7 or program\$7)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:40
S39	73	S38 same S36	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:40
S40	54	S39 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @pt1d<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:53

S41	13826	S36 with (memory or table\$1 or list\$1 or address\$3 or location\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:59
S42	34	S38 same S41	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 13:52
S43	28	S42 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @pt1d<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:00
S44	192	S37 with (stor\$5 or sav\$5 or track\$5 or updat\$5)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:15
S45	62	S44 with (memory or table\$1 or list\$1 or address\$3 or location\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:16

S46	20	S45 and (programmable adj4 (device\$1 or array\$1))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:19
S47	14	S46 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @ptld<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:16
S48	30138	(revision\$1 or version\$1) near6 (id\$1 or identifier\$1 or identification\$1 or number\$1 or code\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:14
S49	184	S48 with (pld\$1 or pd\$1 or pga\$1 or fpga\$1 or fpld\$1 or epld\$1 or (programmable adj4 (device\$1 or array\$1)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:14
S50	36658	(revision\$1 or version\$1) with (stor\$5 or sav\$5 or track\$5 or updat\$5)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:15

S51	10222	S50 with (memory or table\$1 or list\$1 or address\$3 or location\$1)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:16
S52	11	S49 same S51	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:16
S53	7	S52 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @pt1d<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:19
S54	46	S33 same S51	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:19
S55	15	S54 and (programmable adj4 (device\$1 or array\$1))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:19

S56	10	S55 and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501" or @pt1d<"20010501" or @pd<"20010501")	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/15 14:19
-----	----	--	--	----	-----	---------------------